



1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT BY APPLICANT	ATTY DOCKET NO.	SERIAL NO.
	372584-00102	10/644,227
	APPLICANT	
	TAFT III, Karl Milton et al.	
	FILING DATE	GROUP
	August 19, 2003	1745

U.S. PATENT DOCUMENTS

EXAMINER INITIALS	CITE No.	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE If appropriate
BFB	AA	5,523,181	06/04/1996	Stonehart et al.	429	192	
BFB	AB	5,977,241	11/02/1999	Koloski et al.	524	502	
BFB	AC	6,548,590	04/15/2003	Koloski et al.	524	492	
BFB	AD	2004/0019143	01/29/2004	Koloski et al.	524	434	
BFB	AE	2004/0137303	07/15/2004	Koloski et al.	429	35	

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS	CITE No.	DOCUMENT NUMBER	DATE	COUNTRY	NAME	CLASSIFICATION
-------------------	----------	-----------------	------	---------	------	----------------

NON-PATENT DOCUMENTS

EXAMINER INITIALS	CITE No.	INCLUDE AS APPLICABLE: AUTHOR, TITLE DATE, PUBLISHER, EDITION OR VOLUME, PERTINENT PAGES)
BFB	AF	ADJEMIAN, K.T. et al.; "Silicon Oxide Nafion Composite Membranes for Proton-Exchange Membrane Fuel Cell Operation at 80-140° C"; Journal of The Electrochemical Society, 149 (3) A256-A261 (2002) *
BFB	AG	ANTONUCCI, P.L. et al.; "Investigation of a direct methanol fuel cell based on a composite Nafion®-silica electrolyte for high temperature operation"; Solid State Ionics 125 (1999) 431-437 *
BFB	AH	AHN, Sang-Yeoul et al.; "Properties of the reinforced composite membranes formed by melt soluble ion conducting polymer resins for PEMFCs"; Electrochimica Acta xxx (2004) xxx *
BFB	AI	ARICO, A.S. et al.; "Surface Properties of inorganic fillers for application in composite membranes-direct methanol fuel cells"; Journal of Power Sources 128 (2004) 113-118 *
BFB	AJ	BOYSEN, S.A. et al.; "Polymer Solid Acid Composite Membranes for Fuel-Cell Applications"; Journal of The Electrochemical Society, 147 (10) 3610-3613 (2000) *
BFB	AK	CHANG, Jae-Hyuk et al.; "Proton-conducting composite membranes derived from sulfonated hydrocarbon and inorganic materials"; Journal of Power Sources 124 (2003) 18-25 *
BFB	AL	CHEN, Sheng-Li et al.; "Ion exchange resin/polystyrene sulfonate composite membranes for PEM fuel cells"; Journal of Membrane Science xxx (2004) xxx-xxx *
BFB	AM	DENQ, Q. et al.; "Nafion/ORMOSIL Hybrids via <i>in Situ</i> Sol-Gel Reactions. 3. Pyrene Fluorescence Probe Investigation of Nanoscale Environment"; Chem Matter. (1997), 9, 36-44 *

* No month available

BFB	AN	DENG, Q. ET AOL.; "Nafion®/(SiO ₂ , ORMOSIL, and Dimethylsiloxane) Hybrids Via In Situ Sol-Gel Reactions; Characterization of Fundamental Properties"; Journal of Applied Polymer Science, Vol.68, 747-763 (1998) ✕
BFB	AO	EASTON, E.B.; "Characteristics of Ppyrrole/Nafion composite Membranes in a Direct Methanol Fuel Cell"; Journal of The Electrochemical Society, 150 (10) C735-C739 (2003) ✕
BFB	AP	FUJINAMI, T. et al.; "Proton conducting borosiloxane-poly(ether-sulfone) composite electrolyte"; Electrochimica Acta xxx (2004) xxx-xxx ✕
BFB	AQ	JUNG, D.H. et al.; "Performance evaluation of a Nafion/silicon oxide hybrid membrane for direct methanol fuel cell"; Journal of Power Sources 106 (2002) 173-177 ✕
BFB	AR	KIM, D. et al. "Nano-silica layered composite membranes prepared by PECVD for direct methanol fuel cells"; Electrochemistry Communications 6 (2004) 1069-1074 ✕
BFB	AS	KIM, Young-Taek et al.; "Nafion/ZrSPP composite membrane for high temperature operation of PEMFCs"; Electrochimica Acta xxx (2004) xxx-xxx ✕
BFB	AT	KIM, Y.M. et al.; "Organic-inorganic composite membranes as addition of SiO ₂ for high temperature-operation in polymer electrolyte membrane fuel cells (PEMFCs)"; Electrochimica Acta 49 (2004) 4787-4796 ✕
BFB	AU	KUMAR, B. et al.; "Polymer-ceramic composite protonic conductors"; Journal of Power Sources 123 (2003) 132-136 ✕
BFB	AV	KWAK, Sang-Hee et al.; "Polymer composite membrane incorporated with a hygroscopic material for high-temperature PEMFC"; Electrochimica Acta xxx (2004) xxx-xxx ✕
BFB	AW	MAURITZ, K.A.; "Organic-inorganic hybrid materials; perfluorinated ionomers as sol-gel polymerization templates for inorganic alkoxides"; Materials Science and Engineering C 6 (1998) 121-133 ✕
BFB	AX	NAKAJIMA, H. et al.; "High Temperature Proton Conducting Organic/Inorganic Nanohybrids for Polymer Electrolyte Membrane"; Journal of The Electrochemical Society, 149, (8) A953-A959 (2002) ✕
BFB	AY	NAKAMOTO, N. et al.; "Medium temperature operation of fuel cells using thermally stable proton-conducting composite sheets composed of phosphosilicate gel and polyimide"; Journal of Power Sources xxx (2004) xxx-xxx ✕
BFB	AZ	PARK, Y.S.; "High proton-conducting Nafion/calcium hydroxyphosphate composite membranes for fuel cells"; Electrochimica Acta xxx (2004) xxx-xxx ✕
BFB	BA	RAMINI, V. et al.; "Investigation of Nafion®HPA composite membranes for high temperature/low relative humidity PEMFC operation"; Journal of Membrane Science 232 (2004) 31-44 ✕
BFB	BB	RAMINI, V. et al.; "Stabilized heteropolyacid/Nafion® composite membranes for elevated temperature/low relative humidity PEFC operation"; Electrochimica Acta xxx (2004) xxx-xxx ✕
BFB	BC	SAVADOGO, O.; "Emerging membranes for electrochemical systems Part II. High temperature composite membranes for polymer electrolyte fuel cell (PEFC) applications"; Journal of Power Sources 127 (2004) 135-161 ✕
BFB	BD	SHAO, Zhi-Gang et al.; "Preparation and characterization of hybrid Nafion-silica membrane doped with phosphotungstic acid for high temperature operation of proton exchange membrane fuel cells"; Journal of Membrane Science 229 (2004) 43-51 ✕
BFB	BE	SHIM, J. et al.; "Characteristics of the Nafion ionomer-impregnated composite membrane for polymer electrolyte fuel cells"; Journal of Power Sources 109 (2002) 412-417 ✕
BFB	BF	SI, Y. et al.; "Nafion-Teflon-Zr(HPO ₄) ₂ Composite Membranes for High-Temperature PEMFCs"; Journal of The Electrochemical Society 151 (4) A623-A631 (2004) ✕
BFB	BG	VERNON, D.R. et al.; "Synthesis, characterization, and conductivity measurements of hybrid membranes containing a mono-lacunary heteropolyacid for PEM fuel cell applications"; Journal of Power Sources xxx (2004) xxx-xxx ✕
BFB	BH	YANG, C. et al.; "A comparison of physical properties and fuel cell performance of Nafion and zirconium phosphate/Nafion composite membranes"; Journal of Membrane Science 237 (2004) 145-161 ✕
BFB	BI	YOUNG, S.K. et al.; "Nafion®/Organically Modified Silicate) Nanocomposites via Ppolymer in situ Sol-Gel Reactions; Mechanical Tensile Properties"; Journal of Polymer Science: Part B; Polymer Physics, vol. 40, 2237-2247 (2002) ✕

* no month available

BFB	BJ	ZOPPI, R.A. et al.; "Electrochemical impedance studies of hybrids of perfluorsulfonic acid ionomer and silicon oxide by sol-gel reaction from solution"; <i>Journal of Electroanalytical Chemistry</i> 445 (1998) 39-45
BFB	BK	ZOPPI, R.A. et al.; "Hybrids of perfluorosulfonic acid ionomer and silicon oxide by sol-gel reaction from solution: Morphology and thermal analysis"; <i>Polymer</i> Vol. 39 Nos. 6-7, pp. 1309-1315 (1997)

EXAMINER	<i>Bruce Beu</i>	DATE CONSIDERED	<i>1/4/05</i>
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant			